

INDEX

[Note: A complete, word-by-word electronic Index is available using the software on the CD-ROM that is located in the back of this book.]

- 2-Element Broadside 11-37
 - 2-Element End-Fire 11-36
 - 3- and 4-Element Broadside 11-38
 - 3-Element End-Fire 11-39
 - 3B7RF 9-29
 - 3C1BG 2-14
 - 3Y1EE 1-32
 - 3YØPI 2-13
 - 40-Meter
 - End-Fire Array 14-6
 - Half-Square 14-5
 - Quad, Reduced Sized 13-49
 - Yagi, Lightweight 13-17
 - 40-Meter Yagi, Lightweight
 - Electrical Performance 13-17
 - Mechanical Design 13-18
 - Tuning 13-19
 - 4Nec2 4-3, 7-47, 7-50
 - 4X4NJ 1-34, 7-67
 - 5-Rectangle Array 11-55
 - 5-Square Array 11-57
 - 5B4ADA 1-34
 - 5NØMVE 10-4
 - 6-Circle Array 11-60
 - 8-Circle Array 7-33
 - 80-Meter
 - DX Special 8-9
 - End-Fire Array 14-8
 - Full-Sized Quad 13-44
 - Half-Diamond Array 14-8
 - Three-Element Quad 13-49
 - 80-Meter Yagi Designs 13-20
 - K6UA 2-Element 13-25
 - Loaded 13-20
 - W7CY 2-Element 13-23
 - 9-Circle Array 11-64
 - 9M2AX 1-29
- A**
- A Index (Geomagnetic) 1-19
 - AA1K 2-16
 - AA7QZ/2 9-55
 - AC6LA 4-4, 6-3, 6-4, 6-6
 - ACOM 2000A 15-6, 15-7
 - Active Antenna Elements 7-15
 - Activity
 - 10 Low-Band Commandments 2-34
 - Age 2-20
 - Awards 2-20
 - Survey 2-20
 - Time Spent on Each Mode 2-20
 - Adler, D. 9-19
 - AEA 11-25
 - Antenna Analyzer 11-32
 - CIA-HF 11-33
 - AG6K 3-16
 - AH1A 2-13
 - AIIH 8-9
 - AKI Special 9-73
 - Alpha
 - 87 15-7
 - 91B 15-7
 - Power Analyzer 15-11
 - Alvestad, Jan 1-3
 - AMTOR 3-16
 - Andrews Corp 6-3
 - Antenna Model 4-2, 7-7, 7-8, 7-11
 - Antenna Solver 4-3
 - antennaeX 4-9
 - Antennas 15-4
 - Design Software 4-1
 - Ground Plane 9-9
 - Measuring Resonance 11-30
 - Over Ground 5-7, 8-3
 - Radiation and Reflection Efficiency 8-3
 - Reflection Coefficient 8-3
 - Receiving 7-1
 - Antennas and Equipment (Survey) 2-26
 - Antennas, Etc 6-19
 - Antipodal Focusing 1-17
 - Anzac 7-99
 - AO 4-8
 - Array Solutions 7-90, 7-99, 11-71, 15-5
 - Arrays 12-1
 - 2-Element Broadside 11-37
 - 2-Element End-Fire 11-36
 - 3- and 4-Element Broadside 11-38
 - 3-Element End-Fire 11-39
 - 3-Element, Parasitic 12-8
 - 5-Rectangle 11-55
 - 5-Square 11-57
 - 6-Circle 11-60
 - 7-Circle 11-63
 - 9-Circle 11-64
 - Bidirectional End-Fire 11-43
 - Broadside 7-10
 - Buried Radials 11-83
 - Curtain, Bobtail 12-13
 - Delta Loop 12-11
 - Designing 11-2
 - Dipole, 3-Element 12-7
 - Dipole, ZL Special 12-12
 - Elements 11-2
 - Elevated Radials 11-84
 - End-Fire & Broadside 11-40
 - Feeding the Elements 7-15
 - Half Square 12-15
 - Lazy H 12-13
 - Loops 7-94
 - Modeling 11-2
 - Popular 11-36

Sloping Verticals	11-78
Triangular	11-44
Two-Element	12-3
Delta Loop	12-5
Parasitic	12-4
Unidirectional	12-4
<i>ARRL Antenna Modeling Course</i>	4-2
ARRL Laboratory	3-3
<i>ARRL MicroSmith</i>	6-10
<i>ARRL Radio Designer Software</i>	15-10
Aurora	1-17
Australis	1-17
Viewing from Satellites	1-20
Autek	11-27
Awards	2-17
Standings	2-18
Azimuthal-Equidistant Projection	1-29

B

Balun	5-10, 6-18
Current	6-19
Voltage	6-19
Bandwidth	5-11, 8-8
Continuously Variable	3-7
CW	3-7
SSB	3-7
Bandwidth (SWR)	5-11, 8-8
Dipole	8-15
Inverted-V	8-20
Barker	9-20
Base Loading	9-34
Battle Creek Special	9-62
BC Interference	11-29
Beverage Antennas	7-42
Arrays	7-74
Band Splitter	3-12
Bi-Directional	7-68
Bi-Directional Two-Wire	7-71
Cone-of-Silence	7-47
Feeding	7-56
Modeling	7-43
Slinky	7-69
Terminating	7-50
Terrain and Layout	7-63
Beverage, Clarence	9-20
Beverage, Harold	7-42, 7-65
Bi-Square Loop	10-15
Bidirectional End-Fire Array	11-43
Binomial Current Distribution	11-14
Bobtail Curtain	12-13
BOG	7-65
Boom Strength Program	4-7
Braun	3-11, 7-99
Break-In	
Semi, CW	3-18
Brewster, Pseudo	9-2
Broadside Arrays	7-10, 7-20
Broadside/End-Fire Array	11-54
Broadside/End-Fire Arrays	7-20
Brown, Lewis & Epstein	9-14
Brown, Robert	1-1
BS7H	2-2
BV9P	2-2

C

C31XR	15-4
Cable Loss	11-32
Cadweld	9-18
Capacitive Loading	8-14
Capacitively Loaded	
Delta Loop	14-9
Diamond	14-8
Caron	6-10
Center Loading	9-36
CE0Y	1-32
Ceramic Magnetics	7-57
Chordal Hops	1-16
Christman (K3LC)	11-8
Coax Cable	6-2
and SWR	6-2
Attenuation Characteristics	6-3
Size	6-7
Stubs	15-10
Transformer Program	4-5
Cohen, Ted	1-2, 1-15, 1-18
Coil Calculation Program	4-6
Coils	
Making	13-21
Collinear	8-17
Collinear Dipoles	8-17
Collins (W1FC)	
Hybrid Coupler	11-17
Complex Numbers	11-3
Component Ratings	
Capacitors	6-11
Coils	6-12
Computers	
Connecting Them Together	15-12
DX-Cluster	15-12
Interface to Radio	15-7
Noise	15-12
Software	15-12
Comtek	11-21, 11-51, 11-76
Conductivity and Dielectric Constants (Earth)	5-8
Cone-of-Silence Length	7-47
Conjugate Match	6-2
Contesting	15-1
What Category?	15-3
Why Contesting?	15-3, 15-4
Continuously Variable IF Bandwidth	3-7
Coordinates	
Polar & Rectangular	11-2
Corona Discharges	7-3
Coronal Mass Ejections	1-18
Coupled Impedance	11-4
Coupling, Mutual	11-4
Creative Design Co.	13-52
Critical Frequency	1-3
Crooked Paths	1-31
Cross-Fire (W8JI)	11-9
Feeding	7-17
CT	3-17
CT1BOH	15-2
Current	
Forcing	11-10
Magnitude & Phase	11-4
Curtain, Bobtail	12-13

CW	
Bandwidth	3–7
Keying Waveform	3–17
Operation	3–17
QSK	3–18
Switchable Sideband	3–11
D	
Declination	1–9
Decoupling Antennas	9–71
Transmitting	7–92
Delta Loop	10–5
Bottom-Corner-Fed	10–6
Compressed	10–6
Dimensions	10–9
Equilateral Triangle	10–6
Feeding	10–9
Gain and Radiation Angle	10–10
Horizontal Polarization	10–8
Horizontal vs Vertical Polarization	10–9
Radiation Patterns	10–6
Receiving Loop	7–88
Supports	10–10
Two at Right Angles	10–10
Vertical Polarization	10–6
Vertical vs Horizontal Polarization	10–9
DF2PY	1–36
DF6SJ/VK2BJZ	8–10
Diamond Receiving Loop	7–89
Dipole	8–1, 8–12
Bandwidth	8–8, 8–15
Broadband	8–9
Calculating Coil Value	8–13
Center Loading	8–11
Center-Fed	8–7
Coil Loading	8–11
Collinear	8–17
Efficiency	8–6, 8–15
Feeding	8–7
Half-Wave Over Ground	8–1
Inverted-V	8–18
Inverted-V, Bandwidth	8–20
Inverted-V, Height	8–20
Inverted-V, Length	8–20
Inverted-V, Radiation Patterns	8–20
Linear Loading	8–14
Loading Coils, Away From Center	8–12
Loading, Capacitive	8–14
Loading, End	8–14
Loading, Losses	8–12
Long	8–15, 8–17
Long, Feed-point Impedance	8–17
Losses	8–7, 8–12
Losses, Dielectric	8–7
Losses, Ground	8–7
Matching	8–11
Modeling	8–25
Over Real Ground	8–3
Quarter-Wave Vertical	8–24
Radiation and Reflection Efficiency	8–3
Radiation Patterns	8–5, 8–15
Radiation Resistance	8–6
Ray Analysis	8–2
Resonant Frequency vs SWR	8–10
Resonant vs Nonresonant	8–9
Shortened	8–10
Shortened, Efficiency	8–15
Shortened, Principles	8–10
Shortened, Radiation Resistance	8–10
Shortened, Tuned Feeders	8–11
Shortened, Tuning and Loading	8–10
Sloping	8–22
Sloping, Bent-Wire	8–23
Sloping, Ground Locations	8–3
Three-Band Antenna	8–18
Topband, Low	14–4
Vertical	8–20
Vertical Radiation Pattern Equations	8–2
Vertical Radiation Pattern of Horizontal Dipole	8–1
Vertical, Feeding	8–22
Vertical, Radiation Resistance	8–21
Zepp, extended double	8–17
Directivity	5–2, 5–6
Importance of	5–10
Merit Figure	5–10
Directivity Merit Figure (DMF)	7–8
DJ2YA	9–1
DJ4AX	1–19, 8–1
DJ4PT	13–49
DJ6JC	13–49
DJ6QT	9–31
DJ7AA	1–19
DJ8WL	1–11, 2–8, 9–32
DK7PE	1–10, 9–61
DL2CC	15–1, 15–7
DL8WPX	2–16
Driving Impedance Program	4–5
DSP	3–8, 3–10
Audio	3–10
IF	3–10
Transmitter	3–19
DU7CC	9–17
<i>DX Atlas</i>	1–25, 1–26, 1–39
DX Clusters	2–15
DX Engineering	7–36, 7–73, 7–76, 7–99, 9–17
DX Windows	2–6
<i>DX-Aid</i>	1–13, 1–25, 1–29, 1–35, 1–37
<i>DX-Edge</i>	1–26
DXing	
40 Meters	2–7
8 Commandments	2–17
80 Meters	2–6
Arranging Skeds	2–15
Awards	2–17
Calling CQ	2–12
Calling the DX Station	2–12
CW	2–14
DX Bulletins	2–16
DX Clusters	2–15
DXpeditions	2–11
European 160-Meter Frequencies	2–5
IARU Bandplan	2–3
Internet Chat Channels	2–16
Internet Reflectors, DX Magazines	2–16
ITU Allocations	2–2
Myths	2–2
Nets and Lists	2–14

RIT	2-10
Split-Frequency Operation	2-7
Subbands in 160-Meter Contests	2-9
Zero Beat	2-10
DXpeditions	2-11
Controlling Pileups	2-12
DXA	2-13
Frequencies	2-11
Pilot Stations	2-13
Split Frequency	2-12
<i>DXWin</i>	1-26
Dynamic Range	3-5

E

EA3VY	7-87
EAI/TIA-222-E	4-7
Easy-Tune Power Amplifiers	15-7
Efficiency	5-8
Antenna	5-8, 5-9, 8-6
Radiation, Monopole	9-8
Shortened Dipole	8-15
EIA/TIA-222-E	13-6
Eisenstein	9-35
Elements	
Base Loaded	7-19
Construction	11-71
Inverted-L	11-72
Loaded	11-72
Loading for CW	11-74
Mechanical Considerations	11-71
Strength Program	4-7
T-Loaded	11-72
Taper Program	4-7
Elevated Radials	9-10, 11-84
Elevation Angles	5-2
160 Meters	5-4
40 Meters	5-4
80 Meters	5-4
<i>ELNEC</i>	4-1, 8-11
End Loading	8-14
End-Fire/Broadside Combination	7-11
ET3PMW	1-10
European 160-Meter Frequencies	2-5
EWE Antenna	7-86
<i>EZNEC</i> 4-2, 4-3, 5-6, 7-9, 7-11, 8-11, 8-26, 10-11, 11-2, 11-77, 11-84, 13-2, 13-17	
<i>EZNEC Pro</i>	4-3, 13-25

F

Fair-Rite	7-58, 7-73
Far Field	5-9
Feed Lines	6-1
75 W Cables in 50 W Systems	6-17
Attenuation Characteristics	6-3
Coaxial Cable	6-2
Conjugate Match	6-2
Connectors	6-20
Loss Mechanism	6-4
Matching Networks	6-7
Open Wire	6-4
Size	6-7
SWR	6-2
Tuned Feeders	8-11

Universal Transmission-Line Program	6-5
Feed System Design	11-7
Feed-Line Analysis Program	4-8
Feeding	
Cross-Fire	7-17
Filters	
Audio	3-10
Group Delay	3-8
High-Power	15-9
IF Position	3-9
Shape Factor	3-8
FK8CP	1-14, 1-29
Flag Antenna	7-87
Flagpole Vertical	14-2
Flat Lines	11-9
FO \emptyset AAA	7-88
FOT	1-5
Four-Square Array	11-45
"Small"	11-50
160-Meter	11-83
8 Directions	11-51
Direction Switching	11-50
Feeding	7-23
K8UR Sloping Dipoles	11-79
Lahlum/Lewallen Feed	11-47
Quadrature Fed	11-14
Receiving Array	7-21
Sloping Halfwave Dipoles	11-78
Sloping Quarter-Wave	11-81
W8JI Cross-Fire Feed	11-47
WA3FET-Optimized	11-47
Fraunhöfer	5-9
Free Space	5-7
Frequency	
Map	1-6
Optimum Traffic	1-5
Front-to-Back Ratio	5-9
Average	5-9
Gain	5-10
Geometric	5-9
Worst-Case	5-9
FT-1000D	3-13
FT-1000MP	3-7, 3-13
FT5ZB	1-17
Further Improvements	15-13

G

G3FPQ	13-49, 15-2
G3PQA	1-17
G3SJX	3-9, 3-13
G4DBN	1-33
Gain	5-9
Compression	3-5
vs Directivity	7-2
Gamma Match	9-65, 13-35
Gamma, Omega, Hairpin Program	4-6
Gehrke (K2BT)	11-18
<i>Geochron</i>	1-26
<i>GeoClock</i>	1-26
GM3HAT	8-9
GM3POI	1-14
<i>GNEC</i>	4-3
Gray Line	1-11
Great Circle Map	1-6, 1-29

Ground	
Loss	9-9
Measurement	9-17
Modeling vs Measuring	9-19
Plane Antenna	9-9
Reflection Coefficient	9-2
Rods	9-17
GW3YDX	1-14
GW4BLE	15-2
Gyrofrequency, Electron	1-27

H

Hagn	9-20
Hairpin Match	13-28
Design Guidelines	13-40
Element Loading	13-40
Element-to-Boom Capacitance	13-42
Half Diamond	14-8
Half Loops	14-4
Half Slopers	14-4
Half Square	12-15
Half-Wave Vertical	
Radial System	9-50
HB9CV	12-12
Headphones	3-16
Heil	3-17
Henney	9-8
<i>HFTA</i>	5-5, 5-6, 8-3
High-Power Filters	15-9
Highest Possible Frequency (HPF)	1-5
Horizontal Directivity	5-2
HP-8405	7-25
HP-8405A	11-25
Hy-Gain 402BA	9-37
Hybrid Coupler	11-17
Collins	11-20
Performance	11-21
Phase Measurement	11-27

I

I4JMY	7-41
I8UDB	8-22
IARU Bandplan	2-3
Ice Loading	13-13
IK4AUY	7-99
Impedance	
Bridge	11-34
Coupled	11-4
Drive	11-5
Self	11-4
Impedance, Current & Voltage Program	4-5, 6-13
In Search of Excellence	15-1
Induction Field	5-9
Intermodulation Distortion	3-3
International Radio	3-1, 3-8, 3-11, 3-18
Interplanetary Plasma	1-18
Inverted-L Antennas	9-72
Inverted-V	8-18
Bandwidth	8-20
Height	8-20
Length	8-20
Radiation Patterns	8-20
Radiation Resistance	8-18

<i>IONCAP</i>	5-2
<i>Ionoprobe</i>	1-2
Ionosondes	1-3
Ionosphere	
Chordal Hops	1-16
D-Layer	1-7
E-Layer	1-7
Path Deviation Mechanism	1-31
Signal Ducting	1-15
Sunspot Cycles and Ducting	1-16
<i>Ionospheric Radio</i>	1-15
Isotropic	5-7
ITU Frequency Allocations	2-2
IY4FGM	15-2

J

JA3ZOH	15-2
JA5AQC	2-16
JA5DQH	9-73
JA7AO	2-18
JE3HHT	4-2
JJ1VKL/4S7	1-29
JT1CO	1-29, 2-19

K

K Index	1-19
K1FZ	7-73
K1KI	5-5
K1KP	3-11
K1TD	9-34
K1TTT	15-12
K1UO	1-19, 2-19
K1VR	13-33
K1VR/W1FV Spitfire Array	13-33
K1XX	6-17
K1ZM	1-38, 2-2, 2-19
K2BT	11-4, 11-5, 11-18, 11-32
K2UO	2-2, 14-1
K3BC	12-15
K3BU	1-15, 14-2
K3LC	9-22, 11-4, 11-8, 11-52
K3LR	5-1, 13-1, 13-31, 13-33, 15-2
K3NA	9-15
K3OQF	9-65
K3UL	2-19
K3ZAP	9-18
K4ERO	13-28
K4HKX	10-1
K4JA	7-96, 11-64
K4JA 9-Circle Array	11-66
K4PI	11-32, 11-79
K4TO	1-39
K4VX	3-11, 5-1
K5IU	9-22, 9-25, 13-3, 13-4
Unequal Radial Currents	9-25
K6LL	6-2
K6SE	1-43, 2-1, 7-84, 7-87, 9-51, 10-10
K6STI	4-4, 4-8, 5-5, 8-3, 13-22
K6UA	1-11, 13-25, 13-32
K7CA	7-36, 7-39, 9-64, 13-33, 14-10
K7EM	9-55
K7NV	13-3
K7ZV	2-16, 13-21, 13-22, 13-52

K8BHZ	7-19, 7-28	Bi-Square	10-15
Element	7-19	Delta	
Stone-HEX Array	7-28	Delta Array	12-5, 12-11
K8CFU	9-8, 9-19	Delta-Shaped	7-88
K8RN	2-14	Diamond-Shaped Receiving	7-89
K8UR	11-79, 11-80	Half Loop	10-16
K9AY	7-84, 7-89, 7-96, 14-10	Half Loop, High Angle	10-17
K9DX	1-32, 4-5, 7-53, 7-78	Half Loop, Low-Angle	10-16
	7-96, 9-65, 11-1, 11-64, 14-10	Loaded	10-12
K9DX 9-Circle Array	11-66	Loaded, Capacitive	10-13
K9HMB	2-19	Loaded, Inductive	10-12
K9LA	1-11	Modeling	10-11
K9RJ	2-19, 9-71	Quad	10-1
KB8I	12-7	Receiving	7-84
KB8NW	2-16	Rectangular (Flag)	7-87
KBØMPL	1-26	Reduced Size	10-14
KH6DX/W6	2-2	Triangular (Pennant)	7-88
KH7M	15-2	Loss	
KI6WX	11-32	Cable	11-32
KK6EK	2-13	Ground	9-9
KL7RA	1-14	Lossy Elements	7-14
KL7U	1-34	<i>Low-Band Software</i>	4-4
KL7Y	1-34, 1-39		
KLM	9-37		
KM1H	7-69	M	
KM5KG	4-8, 6-7	Magnetic Disturbances	1-17
<i>Professional RF Network Designer</i>	4-8	Magnetosphere	1-18
KN4LF	1-31	Masts	13-15
KN4RID	2-1	Bearings	13-15
KØCKD	2-6	Matching	13-43
KØHA	1-36, 13-27	Direct Feed	13-43
KØNM	8-10	Gamma	13-35
KT-34XA	9-65, 15-4	Hairpin	13-38
<i>Kurze Antennen</i>	9-33, 9-39	Hairpin, Design Guidelines	13-40
KWM-2	3-13	Hairpin, Element Loading	13-40
		Hairpin, Element-to-Boom Capacitance	13-42
		Networks	6-7, 6-12
		Broadband Matching	6-20
		High Impedance	6-14
		L Network	6-9
		Quarter-Wave Sections	6-7
		Replacing Stub	6-12
		Wideband Transformers	6-16
		Omega	13-37
		Median Statistical Value	1-5
		Merit Figure	5-10
		MFJ	11-25
		MFJ-1025	7-3, 7-41
		MFJ-259B Antenna Analyzer	11-33
		<i>MicroDEM</i>	5-6
		Microphones	3-16
		Minimum Discernable Signal	3-2
		<i>MININEC</i>	4-2, 7-43, 8-11, 8-17, 10-2, 11-2, 13-4
		<i>MiniProp</i>	1-6
		<i>MMANA</i>	4-2
		MN8CX	7-57, 7-73
		Modeling	
		Dipoles	8-25
		Limitations	7-13
		Loops	10-11
		Yagis	13-2
		Modified Lewallen Method	11-16
		Monopoles	
		Radiation Resistance	9-5
		Morris, I. L.	4-1
L			
L Network	6-9, 11-10		
Design, Program	6-10		
Program	4-5		
Lahlum (W1MK)	11-11		
Lahlum (W1MK)/Gehrke (K2BT)	11-18		
<i>Lahlum.xls</i>	11-11, 11-14, 11-23, 11-36, 11-48, 11-64, 11-67		
Laport	9-8		
Lazy H	12-13		
Lewallen Phasing Feed System	11-76		
Line Stretcher Program	4-6		
Linear Amplifiers	3-16		
Loading			
Base	9-34		
Capacitance Hat	9-41		
Capacitance Hat Plus Coil	9-44		
Center	9-36		
Dipoles	8-12		
High Radiation Resistance	9-37		
Linear	8-14, 9-37		
Losses, Keeping Low	9-37		
Sloping Wire	9-47		
T-Wire	9-44		
Top	9-35		
Top and Base	9-37		
Tower on 80/160	14-3		
Loops			
Arrays	7-94		

Moxon	9-27
MUF	1-2
<i>MultiNEC</i>	4-4
Mutual Coupling	11-4, 11-34
Mutual Impedance Program	4-5

N

N1DM	11-25
N2FB	4-1
N2MF	9-13
N2MG	2-5
N2PK	11-34
N2PK VNA (Vector Network Analyzer)	11-34
N4KG	1-43, 2-14, 9-27
N4KG Elevated Radials	9-27
N4OE	6-18
N4UH	6-5
N4UK	1-36
N4XX	1-2
N5FG	2-17
N5JA	1-36
N6BV	3-15, 4-1, 5-2, 5-5, 6-4, 8-3, 9-11, 9-15
N6LF	8-9
N6PL	9-9
N6TR	1-22
N7AM	1-33
N7AU	1-19
N7CL	9-12, 9-20
N7JW	7-36, 7-39, 9-64, 13-33, 14-10
N7UA	1-29, 1-33
N8TR	4-1
<i>NA</i>	3-17
NAØY	1-19
Near Field	5-8
<i>NEC-2</i>	4-2, 4-3, 7-43, 8-11, 8-17, 10-2
<i>NEC-3</i>	11-2
<i>NEC-4</i>	4-3, 7-43, 9-11, 9-19, 11-2, 11-6, 11-80, 13-25
<i>NEC-GSD</i>	9-19
<i>NEC-Opt</i>	4-4
<i>NEC-Win Plus</i>	4-3
<i>NEC-Win Pro</i>	4-3
<i>NEC4WIN95</i>	4-2
Nets and List Operations	2-14
Network Analyzer	11-32
NI6W	13-3
Nittany Scientific	4-3
NM7M	1-1, 1-16, 1-17, 1-38, 1-39
NOAA	1-21
Noise	7-2
Atmospheric	1-27
Blanker	3-13
Bridge	11-32
Computer	15-12
External to Receiver	3-2
Man-Made	7-4
Precipitation	1-27
Propagated	7-4
Thermal	3-2
Thunderstorms	7-3
Noise-Canceling Bridge	7-41
NR1DX	2-17, 7-42
NTIA/ITS	1-3
Null Angles	7-6
NW3Z	13-17

O

OH2BH	13-23
Oler, Cary	1-2, 1-15, 1-18, 1-23
Omega Match	9-65, 13-37
ON4GV	15-2
ON4HW	1-43
ON4KST	2-16
ON4UN	
Coax Transformer Program	6-5
Mini Receiving Four Square	7-27
Wire Four-Square	11-72
ON4WW	2-13, 15-1
ON5OO	15-12
ON6TT	15-1
ON6WU	4-6, 7-19, 9-61, 11-71, 13-1, 13-3
ON7PC	4-1
Open-Wire Transmission Line	6-4
Operating	
Interband Interference	15-8
Monitor Scopes	15-8
Operating Table	15-8
ORION	3-8, 3-9, 3-10, 3-14, 3-17, 3-19, 15-6
OZ8BV	1-33

P

P29XX	2-16
PA3DZN	9-65
PACTOR	3-16
Palomar PCM1	9-27
Paragon Technologies	4-4
Parallel Impedance Program	4-6
Parasitic Receiving Arrays	7-36
Passband Tuning	3-7
Pattern	
Vertical, Ideal Ground	9-1
Pennant Antenna	7-88
<i>Physical Design of Yagi Antennas</i>	13-2
PI4COM	15-2
Pilot Stations	2-13
Polar Coordinates	11-2
Popular Arrays	11-36
Power Amplifiers	
Easy-to-Tune	15-7
Power, Wasted	11-74
Preamplifiers	7-97
Precipitation	
Noise	1-27
Static	7-3
<i>Professional RF Network Designer</i>	4-8, 4-9
Propagation	
160 Meters	1-45
40 Meters	1-45
80 Meters	1-45
A Index	1-19
Antipodal Focusing	1-17
Aurora	1-17
Aurora from Satellites	1-20
Calculating Half-Way Local Midnight Peak	1-42
Chordal Hops	1-16
Coronal Mass Ejections	1-18
Critical Frequency	1-3
Crooked Path	1-31
Avoiding the Auroral Zones	1-35

Between Europe and Alaska	1-34
Examples	1-32
Midwinter	1-36
New England to Japan	1-38
D-Layer	1-7
Dusk and Dawn	1-11
E-Layer	1-7
Frequency Map	1-6
Frequency of Optimum Traffic (FOT)	1-5
Gray Line	1-11
Great Circle Long Path	1-29
160 Meters	1-29
40 Meters	1-29
80 Meters	1-29
Great Circle Short Path	1-29
Gyrofrequency, Electron	1-27
High Wave Angles at Sunrise/Sunset	1-16
Highest Possible Frequency (HPF)	1-5
Interpreting Geomagnetic Data	1-22
<i>Ionoprobe</i>	1-2
Ionospheric Signal Ducting	1-15
K Index	1-19
Location	1-17
Low band, during high sunspot years	1-8
Median Statistical Value	1-5
Midway Midnight Peak	1-11
MUF	1-2
Nighttime	1-11
ON4UN Software	1-44
Paths	1-29
Polarization and Power Coupling on 160 Meters	1-27
Pre-Sunset and Post-Sunrise QSOs	1-42
Smoothed Sunspot Number	1-2
Software	1-43
Solar Flux Index	1-2
Solar Terrestrial Report	1-3
Sunrise/Sunset Tables	1-40
Sunspot Cycle	1-2
Sunspot Cycles and Ducting	1-16
Wave Elevation Angle	1-3
Without Lossy Ground Reflections	1-14
Propagation Software	4-5
<i>Proplab Pro</i>	1-6, 1-15, 1-25
Pseudo-Brewster Angle	9-3
Equation	9-3
Radials	9-4
PSK31	2-14
PY1RO	1-29
PY5EG	15-2

Q

Q-Factor	5-11
QRM	7-3
QRN	7-3
QSK	3-18
Quads	13-43
2-Element, Reduced Size	13-49
3-Element 80-Meter	13-49
3-Element, 80-Meter	13-49
80-Meter	13-44
Dimensions	10-5
Feeding	10-5
Horizontal Polarization	10-2
Impedance	10-2

Patterns	10-2
Quad or Yagi?	13-51
Rectangular Quad Loop	10-4
Vertical Polarization	10-2
W6YA 40-Meter	13-50

R

RA3AAU	15-1
<i>RadCom</i>	3-13
Radials	
Buried	11-83
Buried, Depth	9-17
Buried, How Many	9-13
Buried, What Shape	9-13
Elevated	9-10, 11-84
Elevated and On-Ground	9-29
Elevated, Grounded Tower	9-28
Elevated, How Many	9-21
Elevated, Modeling	9-19
Evaluating a System	9-31
Plow	9-18
Single	9-21
Radiation	
Angle Horizontal Antennas, Program	8-3
Angles	5-2
Efficiency, Monopoles	9-6
Horizontal Pattern, Horizontal Dipole	8-6
Patterns	8-5, 11-2
Resistance	5-8, 8-6
in Shortened Dipoles	8-10
Monopoles	9-5
<i>Radio Engineering Engineering</i>	9-8
<i>Radio Engineering Handbook</i>	9-8
Radio-Computer Interface	15-7
Ray Analysis	8-2
RDF	7-9
Real Ground, Reflection Coefficient	8-3
Receiver	
Areas for Improvement	3-14
Blocking	3-5
Blocking Dynamic Range	3-6
DSP	3-10
Dynamic Range	3-5
External Noise and Sensitivity	3-2
Filter Shape Factor	3-8
Gain Compression	3-5
Input Protection	3-13
Intermodulation	3-3
Intermodulation Dynamic Range	3-5
Minimum Discernable Signal	3-2
Noise	3-2
Noise Cancelling	3-14
Passband Tuning	3-7
Reciprocal Mixing	3-6
Selectivity	3-7
Sensitivity	3-1
Specifications	3-1
Stability/Frequency Readout	3-11
Thermal Noise	3-2
<i>Receiver Levels.xls</i>	3-2
Receiving	5-6
Antennas	7-1
Directive Arrays	7-5
Equipment	3-1

Four Square	7-21	<i>MININEC</i> -Based	4-2
Loops	7-84	<i>MiniProp</i>	1-6
Loops, Modeling	7-85	<i>NEC-2</i>	4-2
Receiving Directivity Factor (RDF)	7-9	<i>NEC-4</i>	4-3
Reciprocal Mixing	3-6	ON4UN Low-Band	4-4
Rectangular		<i>Proplab Pro</i>	1-6, 1-25
Coordinates	11-2	Radiation Angle Horizontal Antennas	8-3
Loop (Flag)	7-87	Stub Matching	6-12
Redcliff, R.	9-19	Sunrise/Sunset Times	1-44
Reflection Coefficient	8-3	<i>TA</i>	5-5
Ground	9-2	The Database	1-44
Resnick, A.	9-19	<i>TLDdetails</i>	6-4
Rhein-Ruhr DX Association	8-1	<i>TLW</i>	6-4
Ringing	3-8	<i>W6ELProp</i>	1-25
RIT	2-10	<i>XLZIZL</i>	6-6
Roofing Filter	3-5	Yagi Design	13-4, 13-6
Rotators	13-15	<i>YT</i>	5-5
Drive Shaft	13-15	<i>YW</i>	13-4
Drive Shaft Calculations	13-16	Solar	
RS-222-E	13-2	27-Day Cycle	1-8
		A Index	1-19
S		Coronal Mass Ejections	1-18
S21XX	2-16	Daily Cycle	1-10
S21ZC	1-10	Flux Index	1-2
Schultz	9-7	K Index	1-19
Selectivity	3-7	Seasonal Cycle	1-9
Selectivity, Static and Dynamic	3-8	Smoothed Sunspot Number	1-2
Self-Impedance	11-4	Solar Flux Index	1-2
Seven-Circle Array	11-63	Solar Terrestrial Report	1-3
Short Verticals	9-33	Sunspot Cycle	1-2
Sideband		<i>Solar Terrestrial Report</i>	1-3
Selectable CW	3-11	SP5EWY	10-19
Signal Ducting	1-15	SP7HT	3-6
Signal Monitoring	3-19	Special Receiving Antennas	14-9
<i>Sky & Telescope</i>	1-23	Speech Processing	3-17
Sloper		Splatter	3-15
Half	10-18	Split-Frequency Operation	2-7
Sloping		160 Meters	2-8
Bent-Wire	8-23	40 Meters	2-9
Dipole	8-22	80 Meters	2-9
Radiation Patterns	8-22	DXpeditions	2-12
Terrain	5-5, 8-3	SSB	
SM3CVM	1-33	Selectivity	3-7
SM4CAN	1-33	Splatter	3-15
SM4HCM	1-33	SSN	1-2
SM5MX	2-14	St. Elmo's Fire	7-3
SM6CNS	9-17	Stability	3-11
Smith Chart Program	4-5	Standing-Wave Ratio (SWR)	5-10
SMØAGD	1-32	Bandwidth	5-11
Smoothed Sunspot Number	1-2	Feed Lines	6-1
Snake Antenna	7-65	Need for Low SWR	6-18
Software	6-13	<i>STD Aurora Monitor</i>	1-23
Antenna Design	4-1	Stone-HEX Array	
Antenna Optimizing	4-4	K8BHZ	7-28
Coax Transformer/Smith Chart	6-5	Stub Matching	6-12
Contesting	15-12	Program	4-6, 6-12
<i>DX Atlas</i>	1-26	Replacing Stub with Discrete Component	6-12
<i>DX-Aid</i>	1-25	Series-Connected Discrete Components	6-13
DX-Cluster	15-12	Stubs	11-33
HFTA	5-6	Sunrise/Sunset Tables	1-40
<i>Ionoprobe</i>	1-2	Using	1-42
L-Network Design	6-10	Sunspot Cycle	1-2
<i>Low Band Software</i>	1-44	27-Day Cycle	1-8
<i>MicroDEM</i>	5-6	Seasonal Cycle	1-9

Smoothed Sunspot Number	1-2
Surge Impedance	5-12
<i>SWARM</i>	1-24
<i>SWIM</i>	7-24
Switching at ON4UN	15-5
SWR Bandwidth, Short Verticals	9-39
SWR Program	4-6

T

T Antennas	9-74
<i>TA</i>	5-5, 8-3
Taper Technique	13-44
Tektronix	3-19
Terrain, Sloping	5-5
Test Equipment	11-25
<i>The ARRL Antenna Book</i>	1-4, 5-1, 5-9, 6-3, 11-3, 11-7, 11-47, 11-71
<i>The ARRL Handbook</i>	3-16
The Operator's Station	15-5
The Radio Works	6-19
The RF Connection	9-18
The Wireman	6-19
Three-Band Antenna (40, 80 160 Meters)	8-18
Three-in-Line End-Fire Binomial Current Distribution	11-14
Thunderstorms	7-3
Titanex	11-71
Titanex V160E	9-29, 9-77
TL-922	3-16
<i>TLD</i> details	6-3, 6-4
<i>TLW</i>	6-4, 13-4
Top Loading	9-35
Top Ten Devices	3-1
Toroid Cores	6-12
Towers	13-14
Guys Wires as Antenna Elements	13-28
Raising Antennas	13-17
Rotating Masts	13-15
Rotators	13-15
<i>TR</i>	3-17
Transformers, Wideband	6-16
High Impedance	6-17
<i>Transmission Line Transformers</i>	6-17
Transmitter Areas for Improvement	3-20
Power	3-15
Transmitting	5-1
Equipment	3-1
Triangular Arrays	11-44
Loop (Pennant)	7-88
TS-850	3-11
TTFD	6-18
Tuned Feeders	8-11

U

UA3AVR	4-3
UA9UCO	1-29
UU4JMG	1-36
UUØJZ	1-42

V

VE1ZZ	1-13, 1-17, 1-36, 2-11, 2-19
VE2CV	9-19, 9-20, 9-27, 10-16, 11-32, 12-12
VE3BMV	1-15
VE3EJ	15-2
VE3NEA	1-2
VE6LB	2-2
VE6WZ	1-36, 13-22
VE7DXR	1-16
VE7VV	1-14, 1-43
Vertical Directivity	5-2
Pattern, Ideal Ground	9-1
<i>Vertical Antenna Handbook</i>	9-9
Vertical Antennas	9-1
80/160 With Trap	9-57
Battle-Creek Special	9-62
Close-Spaced Short	9-75
Close-to-Earth Elevated Radials	9-10
Commercial	9-79
Designing Short	9-40
Dipole	8-20
Feeding	8-22
Radiation Patterns	8-20
Radiation Resistance	8-21
Duo-Bander 80/160	9-55
DXPedition	9-77
Flagpole	14-2
Folded Elements	9-38
Ground & Radial Systems	9-9
Location	9-76
Modeling	9-51
On-Ground Radials	9-10
ON4UN 160 M	9-60
Practical	9-53
Practical, Top Loaded	9-55
Quarter-Wave	9-1
Radiation Pattern Monopole, Real Ground	9-2
Sloping Ground	9-5
Short	9-33
Short, SWR Bandwidth	9-39
Tall	9-49
Using Beam/Tower	9-64
Yagis	13-27
3-Element	13-30
VIA-Bravo	11-33
VK1AA	2-18
VK2AVA	1-42
VK5KC	4-2
VK6HD	1-29
VK8XY	2-16
VK9CR	2-16, 9-77
VK9LX	2-14
VKØGC	1-42
VKØHI	2-13
VKØIR	1-12, 1-30, 1-35, 2-13, 2-15, 9-17, 9-38
<i>VOACAP</i>	1-3, 1-26, 5-2
VP6DIA	1-39
VS6DO	1-29
VU2PAI	2-7, 2-17
VY1JA	1-19

W

W1AW	2-6
W1BB	2-17
W1CF	11-44
W1FB	9-65, 10-18, 11-32
W1FC	4-6, 11-17
W1FV	2-19, 7-74, 9-75, 13-33
W1HGT	2-17
W1HKK	11-45
W1JZ	2-19
W1MK	7-25, 11-1, 11-10, 11-16, 11-25, 11-27, 11-30, 11-37, 11-69, 11-86
Dual-Channel RF Detector	11-25
Hybrid Coupler	11-31
W1NCK	6-10
W2BML	7-42
W2DU	6-18, 9-65
W2FMI	6-17, 6-19, 9-37
W2IHY	3-16, 3-17
W2PV	13-2, 13-35
W2VJN	3-1, 3-18
W3ESU	9-19
W3LPL	3-11, 5-1, 6-4, 15-2
W3NQN	3-12, 7-25, 11-24, 11-30, 15-8
W3UR	2-16
W4DR	2-11, 2-18
W4PA	2-15
W4PK	9-27
W4RNL	13-23
W4ZCY	5-1
W4ZV	1-2, 1-12, 1-22, 1-34, 2-1, 2-8, 2-18, 10-6
W5XD	15-12
W6ANR	13-20, 13-52
W6BXI	11-32
W6ELProp	1-25
W6KW	13-20
W6NKU	11-32
W6NLZ	1-11
W6QHS	13-2
W6RJ	1-35, 13-22, 14-10
W6SAI	13-36
W6TC	6-19
W6YA	13-50, 14-9
W6YA 40-Meter Quad	13-50
W7CY	13-23, 13-32
W7EL	8-26, 11-4, 11-7, 11-10, 13-44
W7IUV	7-87, 7-98
W7IV	9-18
W7LR	6-10, 9-17
W7OM	1-11
W7RM	2-1
W7XC	9-17, 9-62
W7ZOI	6-10, 7-99
W8FYR	8-15
W8JI	1-29, 2-8, 3-6, 5-10, 7-1, 7-33, 7-53, 9-16, 11-4, 11-48
8-Circle Array	7-33
Cross-Fire	11-9
Elements (Umbrella Loading)	7-18
Parallelogram	7-81
Receiving Directivity Factor	7-9
W8LRL	2-7, 2-17, 2-18, 7-35, 7-79
W8LT	1-14
W9KYZ	8-15

W9UCW	9-63
WA1ION	7-92
WA2WVL	7-86, 7-95
WA3FET	11-16, 11-28, 11-47, 11-53, 13-17
WA4JVE	10-1
WA6TKT	12-12
WA8MOA	9-62
WAØRDX	10-1
Wave elevation angle	1-3, 8-1
WB4ZNH	2-14
WB9Z	15-2
Wellbrook Communication	7-90
Windom	8-7
Windom Antenna	8-7
Wire Yagis	13-26
WØCD	9-62
WØJF	9-59
WØUN	11-1, 11-64, 11-79
WØYG	13-23
WØZV	1-17, 1-36, 3-10
Writelog	3-17
WRTC	15-1
WXØB	7-90, 7-99, 11-71, 11-76, 13-3, 15-5, 15-8

X

XLZIZL	6-6
XRØY/XRØZ	2-13
XV7SW	2-14
XYØRR	1-10
XZØA	1-17, 9-13

Y

Yagi	13-2
3-Element 40-Meter	13-3
3-Element 40-Meter, Lightweight	13-17
Electrical Performance	13-17
Mechanical Design	13-18
Tuning	13-19
80-Meter	13-20
K6UA 2-Element	13-25
Loading Coils	13-20
W7CY 2-Element	13-23
Alternative Element Designs	13-8
Boom Design	13-9
Boom Sag	13-10
Clamps	13-12
Torque Balancing	13-10
Weight Balancing	13-10
Commercial	13-51
Design Program	4-6, 13-4, 13-6
Element	
Sag	13-7
Strength	13-6
Hairpin	
Element Loading	13-40
Element-to-Boom Capacitance	13-42
Horizontal Wire	13-26
Ice Loading	13-13
K1VR/W1FV Spitfire Array	13-33
Loading Coils	13-21
Matching	13-14, 13-35
Direct Feed	13-43
Gamma	13-35

Hairpin	13-38	YB1AQS	2-14
Omega	13-37	YO	4-4, 4-8
Material Fatigue	13-13	YT	5-5
Mechanical		YT6A	5-5
Design	13-2	YW	13-4
Load and Strength	13-4		
Modeling	13-2	Z	
Rotating Mast Program	4-8	Zepp	8-17
Torque Balancing Program	4-7	Zero Beat	2-10
Tower Guys as Elements	13-28	ZL Special	12-12
Tubing	13-12	ZL7DK	1-1, 1-44, 2-13, 2-16, 9-38
Vertical	13-27	ZS4TX	3-17
Vertical, 3-Element	13-30	ZS6EZ	1-39, 2-14
Weight Balance Program	4-7		
Wind Area Program	4-7		
Wind Load Program	4-7		

FEEDBACK

Please use this form to give us your comments on this book and what you'd like to see in future editions, or e-mail us at pubsfdbk@arrl.org (publications feedback). If you use e-mail, please include your name, call, e-mail address and the book title, edition and printing in the body of your message. Also indicate whether or not you are an ARRL member.

Where did you purchase this book?

From ARRL directly From an ARRL dealer

Is there a dealer who carries ARRL publications within:

5 miles 15 miles 30 miles of your location? Not sure.

License class:

Novice Technician Technician Plus General Advanced Amateur Extra

Name _____

ARRL member? Yes No

Call Sign _____

Daytime Phone () _____ Age _____

Address _____

City, State/Province, ZIP/Postal Code _____ E-mail: _____

If licensed, how long? _____

Other hobbies _____

Occupation _____

For ARRL use only	LBDX
Edition	4 5 6 7 8 9 10 11 12
Printing	1 2 3 4 5 6 7 8 9 10 11 12

From _____

Please affix
postage. Post
Office will not
deliver without
postage.

EDITOR, LOW BAND DXING
ARRL—THE NATIONAL ASSOCIATION FOR AMATEUR RADIO
225 MAIN STREET
NEWINGTON CT 06111-1494

----- please fold and tape -----